

Large format Printing **Machines**

ORIC OR-6202 / 6204 DTF High speed DTF Digital Printer HOT I3200-A1 x 2/4



Hot stamping process



- High-quality power motor to ensure the smoother operation of the car while improving the speed
- Ke-style hot stamping printing, convenient and fast printing with water-based ink
- With I3200-A1x2/4 print heads, the cost performance is significantly improved
- The overall operation of the equipment is simple, and it is printed

High-priced machine performance parameters




THK high-precision mute rail automatic



Stable bulk system ensures amazing printing speed




High-quality hot-melt powder, can be used repeatedly



Efficient powder shaking device, powder shaking is clean



High-performance paper collection device. Adapt to a variety of materials



Flip top powder box, simple operation, convenient to add powder



With belt system, you can cut off files, while printing. Since the film is fed by air suction system and cut production at the same time



Automatic moisturizing cleaning components to ensure cleaning and working stability



Commonly used on products such as T-shirts, hats, backpacks, lanyards, shoes and more to create unique fashion pieces. It can also be used in denim clothes, non-woven bags, gift bags, pearl clothing, baseball caps, fabric gift boxes, etc to make your travel outfit unique

• Technical Specifications

Model		OR-6202 DTF	OR-6204 DTF
Print Head		2 i3200 Print Heads	4 B200 PrintHeads
Color		CMYK + W	
Printing speed		4pass 360x1800dpi : 10 sqm /h 6pass 720x1200dpi : 7 sqm /h	4pass 360x1800dpi): 20 sqm/h 6pass 720x1200dpi: 14 sqm h
Printing Technology		Piezoelectric Inkjet	
Acceptable Media	Width	620 m m	
	Thickness	1 mm	
	Weight	40 kg	
Print wide width		620 mm	
Ink cartridge	Type	Transfer Pigment Ink	
	Capacity	Continual Ink Supply System (220ML)	
Applicable Medium		Transfer film	
Color Manage		ICC or density curve	
Media Heating System		Powder & cobr fixing machine	
Interface		RJ-45/LAN	
RIP Software		Main top/Riprint/Photoprint	
Power Supply		50HZ/60HZ,220V/110V/10A	
Environment		Temperature: 22°C to 28°C	Humidity: 40% to 70%
Machine size /Weight		1620 x 620 x 1280 mm / 110 kg	
Package size/Weight		1710 x 750 x 750m mm / 140 kg	

SHAKE POWDER COLOR FIXING MACHINE

Model	H650
Media wide width	0-600mm
Applicable Medias	Nylon, chemical fiber, cotton, leather, swimsuit, wetsuit, PVC, EVA, etc
Powdering control	Powder shake control, powder sprinkle control, direction, quantity control
Rewinding function	Automatic induction winding

Heating and drying function	Multi-stage heating system, drying, cold air function		
Electrical parameters	Rated voltage.: 220V	Rated current.: 20A	
	Rated power: 3.42KW	Energy consumption: 1KW-2.5KW	
Machine size/Weight	2023* 1210* 1337mm	/	180kg
Packing size/Weight	1850* 1310* 1367mm	/	260kg